

IAP7 Rec'd PCT/PTO 12 JUL 2006

PATENT.

ATTORNEY DOCKET: 46884-5327

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Application of:)	
Masayoshi ISHIKAWA, et al.)	Confirmation No.: 4468
Application No.: 10/510,213)	Group Art Unit: 2882
	X-RAY TUBE ADJUSTMENT APPARATUS, X-RAY TUBE ADJUSTMENT SYSTEM, AND)))))	Examiner: John M. Corbett
	X-RAY TUBE ADJUSTMENT METHOD)	
U.S. Custo	missioner for Patents Patent and Trademark Office omer Window, Mail Stop Amendmer andria, VA 22314	ıt	
Sir:			
	<u>AMENDMENT</u>	<u>TR</u>	ANSMITTAL FORM
1.	Transmitted herewith is an Amendm 2006.	ent	in response to the Office Action dated April 19,
2.	Additional papers enclosed:		
		mer posi	nt

3. Extension of Time

The proceedings herein are for a patent application and the provisions of 37 C.F.R. § 1.136(a) apply.

\boxtimes	conditional petition i	is being made to provi	e is required. However, this de for the possibility that Applicants a petition and fee for extension of			
	Applicants petition for an extension of time, the fees for which are set out in 37 C.F.R. § 1.17(a), for the total number of months checked below:					
	Total Months	Fee for	[Fee for Small			
	Requested	Extension	Entity]			
	<u>Nequested</u>	LACCISION				
	one month	\$ 120.00	\$ 60.00			
	two months	\$ 450.00	\$ 225.00			
	three months	\$ 1,020.00	\$ 510.00			
	four months	\$ 1,590.00	\$ 795.00			
	lour mondis	\$ 1,570.00	4 173.00			
	Extension of time fee due with this request: \$					
	If an additional exte therefor.	ension of time is requir	ed, please consider this a Petition			
	An extension for therefor of	months has alrea is deducted from the	dy been secured and the fee paid total fee due for the total months of			

4. Constructive Petition

extension now requested.

EXCEPT for issue fees payable under 37 C.F.R. § 1.18, the Commissioner is hereby authorized by this paper to charge any additional fees during the entire pendency of this application including fees due under 37 C.F.R. §§ 1.16 and 1.17 which may be required, including any required extension of time fees, or credit any overpayment to Deposit Account 50-0573. This paragraph is intended to be a CONSTRUCTIVE PETITION FOR EXTENSION OF TIME in accordance with 37 C.F.R. § 1.136(a)(3).

5. Fee Calculation (37 C.F.R. §1.16)

	Claims Remaining After Amendment		Highest No. Previously Paid	Present Extra	at Rate of	Total Fees	
Total Claims (37 C.F.R. §1.16(c))	23	minus	20	3	x \$50 each =	+ \$150.00	
Independent Claims (37 C.F.R.§1.16(b))	4	minus	4	0	x \$200 each =	+ \$0.00	
[] First presentation of Multiple dependent claim(s) \$360.00							
SUB-TOTAL =							
Reduction by ½ for filing by a small entity							
TOTAL FEE =							

6. Fee Payment No fee is to be paid at this time. \boxtimes Enclosed is a check in the amount of \$150.00 for the additional claims fee. The Commissioner is hereby authorized to charge _____ to Deposit Account No. 50-0573 for the _____ fee. The Commissioner is hereby authorized to charge any additional fees which may \boxtimes be required, including fees due under 37 C.F.R. §§ 1.16 and 1.17, or credit any overpayment to Deposit Account 50-0573.

By:

00000105 10510213 07/17/2006 GFREY1

01 FC:1615

150.00 CP

Dated: July 12, 2006

Respectfully submitted,

DRINKER, BIDDLE & REATH LLP

Paul A. Fournier

Registration No. 41,023

Customer No. 055694 DRINKER, BIDDLE & REATH LLP

1500 K Street, N.W., Suite 1100 Washington, D.C. 20005-1209

Tel: (202) 842-8800 Fax: (202) 842-8465



PATENT ATTORNEY DOCKET: 46884-5327

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Masayoshi ISHIKAWA, et al.) Confirmation No.: 4468
Application No.: 10/510,213) Group Art Unit: 2882
Filed: August 16, 2005) Examiner: John M. Corbett
For: X-RAY TUBE ADJUSTMENT APPARATUS, X-RAY TUBE ADJUSTMENT SYSTEM, AND X-RAY TUBE ADJUSTMENT METHOD))))
Commissioner for Patents U.S. Patent and Trademark Office Customer Window, Mail Stop Amendme Alexandria, VA 22314	ent

AMENDMENT

In response to the Office Action dated April 19, 2006, the period for response to which extends through July 19, 2006, please amend the above-identified application as follows:

Sir: